

## MATERIAL SAFETY DATA SHEET

## **WAKSOL F**

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: WAKSOL F

**Product type:** Industrial timber water repellent

Supplier: TIMBERLIFE (PTY) LTD

P O Bo 73117, Lynnwood Ridge 0040, South Africa

Tel: + 27 12 803 8595 Fax: + 27 12 803 8462

E-mail: <a href="mailto:timberlife@icon.co.za">timberlife@icon.co.za</a>
Website: <a href="mailto:www.timberlife.co.za">www.timberlife.co.za</a>

Hazchem code: 3W UN no: 2810

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**WAKSOL F** is a mixture of waxy oils in hydrocarbons.

### Chemical nature and use:

**WAKSOL F** is a dark greenish brown, wax-based water repellent. It is not soluble in water. **WAKSOL F** is compatible with oils, creosote and most other organic-based coatings applied to timber. In some applications it can also act as a mould release agent on timber.

**WAKSOL** F can be used in the cement brick industry where timber brick pallets needs protection against water absorption.

Hazardous components: Aromatics (<20% m/m)

EEC classification: Not available

R Phrases: R11 / 20 / 22 / 44 / 45.1 / 46-49

Z:\MSDS MASTERS\WAKSOL F MSDS.doc

Rev. 1.000 Rev. Date: 10/2003 Page 1 of 5

## 3. HAZARD IDENTIFICATION:

Main hazard: Flammable if heated

Chemical hazard: Gives off irritant fumes in a fire – keep

upwind. Can react with oxidizing agents. Can form explosive mixture with air. Harmful vapour/fumes.

Health effects:

Eye contact: Can be irritating and cause redness and pain.

Skin contact: Prolonged contact can cause irritation,

reddening/itching of skin.

Inhalation: Irritating to nose and throat. May cause headache,

drowsiness, nausea and difficulty in breathing.

Ingestion: May cause nausea, vomiting, respiratory

difficulties, headache and diarrhoea.

Carcinogenicity: Contains < 5 ppm Benzo [∞] pyrene, the major

carcinogen in hydrocarbon mixtures (Max limit 50

ppm).

#### 4. FIRST AID MEASURES

Eye contact: Flush with plenty of water for at least 15 minutes

(remove contact lenses). Obtain medical advice.

Skin contact: Remove contaminated clothing immediately and

drench affected skin with plenty of water. Wash

with soap and water.

Ingestion: Give 250 ml of bland fluid (milk or water) to drink.

If unconscious, keep warm. Get medical help

immediately.

Do not induce vomiting of give anything by mouth

to an unconscious person.

Inhalation: Move to fresh air. Keep patient warm and administer

oxygen. Administer artificial respiration if person

stops breathing. Obtain medical attention.

### 5. FIRE FIGHTING MEASURES

Fire fighting media: CO<sub>2</sub>, foam, dry chemical.

Special hazards: Gives off irritating fumes in a fire – keep

upwind. Can form explosive mixture with air. Beware of re-ignition. Keep container(s) cool with

water. Floats on water.

Protective clothing: Chemical protection suit, including breathing

apparatus.

Z:\MSDS MASTERS\WAKSOL F MSDS.doc

Rev. 1.000 Rev. Date: 10/2003 Page 2 of 5

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear protective clothing, keep upwind.

Environmental precautions: Prevent substance entering watercourses and

sewers.

Small spills: Absorb spillage in earth or sand. Use flameproof

equipment at incident site. Stop leaks if without risk.

Wash spillage site thoroughly with water and

detergent.

Large spills: Absorb spillage in earth or sand. Use flameproof

equipment at incident site. Stop leaks if without risk. Wash spillage site thoroughly with water and

detergent. Dike far ahead of liquid spill for later

disposal.

7. HANDLING AND STORAGE

Suitable material: Mild steel tanks or drums. Store in area that is

adequately ventilated.

Handling/Storage Product should be stored in covered or closed containers in areas that are adequately ventilated.

storage conditions must be controlled to prevent overheating and pressure build-up in containers. No ignition sources. Use non sparking hand tools. Do not use compressed air for load transfer. Static electricity dangers will be present during emergency

load transfer.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits: TLV = 200 ppm

Engineering control measures: Enclose operations and/or provide local exhaust

ventilation at the site of release. Where possible, pump directly from storage container to process

containers.

Personal protection:

Respiratory: Not necessary under normal conditions. Airline

respirator if TLV exceeds.

Hand: PVC gloves

Eye: Industrial safety glasses with side shield, safety

goggles or face shield if splashing is possible.

Skin: Overalls or PVC apron. Protective creams can be

Z:\MSDS MASTERS\WAKSOL F MSDS.doc

Rev. 1.000 Rev. Date: 10/2003 Page 3 of 5

worn.

Other protection: A high standard of personal hygiene is essential.

Hands should be washed before smoking, eating,

drinking or using the toilet.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Viscous organic liquid Colour: Dark green / brown

Odour: Waxy odour pH: Not applicable Boiling point @ 750 mm Hg: Not available

Pour point: 30°C Flash point (Closed cup): 200°C (c.c)

Flammability: Flammable if heated

Auto – ignition temperature:

Explosive properties:

Oxidizing properties:

Vapour pressure @ 20°C:

Density @ 20°C;

Solubility in water:

Not available

Non oxidizing

Not available

Not available

Not available

Insoluble

## 10. STABILITY AND REACTIVITY

Conditions to avoid : Overheating, sparks, open flame.

Incompatible materials: Strong oxidizers. Incompatible with sulfuric acid,

nitric acid, caustic, aliphatic amines and amides.

Hazardous decomposition

products:

Carbon oxides. Hazardous polymerization will not

occur.

## 11. TOXICOLOGICAL INFORMATION:

Acute toxicity: Exposure to high concentrations of vapour may

cause nausea and headaches.

Skin and eye contact: Skin and eye irritant

Chronic toxicity No chronic effects have been reported

### 12. ECOLOGICAL INFORMATION

Aguatic toxicity: May be toxic to aguatic life

Biodegradability: Not available

Bio-accumulation: None

Mobility: Not available

Z:\MSDS MASTERS\WAKSOL F MSDS.doc

Rev. 1.000 Rev. Date: 10/2003 Page 4 of 5

### 13. DISPOSAL CONSIDERATIONS

Disposal methods: WAKSOL F may be disposed of in sealed

containers in a secure sanitary landfill or in

approved incinerators.

Disposal of packaging: As for WAKSOL F product.

## 14. TRANSPORT INFORMATION

UN no.: 2810

Road/Rail transport: ADR/RID class – Not available

Sea transport: IMDG class – Not available

Air Transport: IATA class – Not available

River/canal transport: ADNR class – Not availble

#### 15. REGULATORY INFORMATION

EEC hazard classification: Not available

Risk phases: R11 / 20 / 22 / 44 / 45.1 / 46 – 49

Safety phases: \$3,7,9 / 20,21 / 36 – 39 / 43.8 / 44 / 56

National legislation: Not available

### 16. OTHER INFORMATION

All information and instructions provided in this Material Safety Data Sheet (MSDS) are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in good faith and believed to be correct.

It is the responsibility of persons in receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product.

Compiled: October 2003

Z:\MSDS MASTERS\WAKSOL F MSDS.doc

Rev. 1.000 Rev. Date: 10/2003 Page 5 of 5